

SMART CONTRACT

Security Audit Report

Project: Airdrop Claim
Platform: Polygon Network
Language: Solidity
Date: April 12th, 2022

Table of contents

Introduction	4
Project Background	4
Audit Scope	4
Claimed Smart Contract Features	5
Audit Summary	6
Technical Quick Stats	7
Code Quality	8
Documentation	8
Use of Dependencies	8
AS-IS overview	9
Severity Definitions	10
Audit Findings	11
Conclusion	12
Our Methodology	13
Disclaimers	15
Appendix	
• Code Flow Diagram	16
• Slither Results Log	17
• Solidity static analysis	18
• Solhint Linter	20

THIS IS SECURITY AUDIT REPORT DOCUMENT AND WHICH MAY CONTAIN INFORMATION WHICH IS CONFIDENTIAL. WHICH INCLUDES ANY POTENTIAL VULNERABILITIES AND MALICIOUS CODES WHICH CAN BE USED TO EXPLOIT THE SOFTWARE. THIS MUST BE REFERRED INTERNALLY AND ONLY SHOULD BE MADE AVAILABLE TO THE PUBLIC AFTER ISSUES ARE RESOLVED.

Introduction

EtherAuthority was contracted by the Airdrop Claim team to perform the Security audit of the Airdrop Claim smart contract code. The audit has been performed using manual analysis as well as using automated software tools. This report presents all the findings regarding the audit performed on April 12th, 2022.

The purpose of this audit was to address the following:

- Ensure that all claimed functions exist and function correctly.
- Identify any security vulnerabilities that may be present in the smart contract.

Project Background

The Airdrop Claim Contracts have functions like recoverERC20, claim, delistBulk, delistOne, listBulk, etc.

Audit scope


Name	Code Review and Security Analysis Report for Airdrop Claim Smart Contract
Platform	Polygon / Solidity
File	Claim.sol
File MD5 Hash	7DE6041E21450B0AE93AECD56C976721
Online Code Link	0x7b888c5A5C0479A06ec770ECa2A5A378561ecEa7
Audit Date	April 12th, 2022

Claimed Smart Contract Features

Claimed Feature Detail	Our Observation
<p>Tokenomics:</p> <ul style="list-style-type: none">• The Manager role admin has functions like: pause, unpause, listOne, listBulk, delistOne, delistBulk, recoverERC20, etc.	<p>YES, This is valid.</p>

Audit Summary

According to the standard audit assessment, Customer's solidity smart contracts are **"Secured"**. This token contract does not contain owner control, which does make it fully decentralized.



We used various tools like Slither, Solhint and Remix IDE. At the same time this finding is based on critical analysis of the manual audit.

All issues found during automated analysis were manually reviewed and applicable vulnerabilities are presented in the Audit overview section. General overview is presented in AS-IS section and all identified issues can be found in the Audit overview section.

We found 0 critical, 0 high, 0 medium and 1 low and some very low level issues.

Investors Advice: Technical audit of the smart contract does not guarantee the ethical nature of the project. Any owner controlled functions should be executed by the owner with responsibility. All investors/users are advised to do their due diligence before investing in the project.

Technical Quick Stats

Main Category	Subcategory	Result
Contract Programming	Solidity version not specified	Passed
	Solidity version too old	Passed
	Integer overflow/underflow	Passed
	Function input parameters lack of check	Moderated
	Function input parameters check bypass	Passed
	Function access control lacks management	Passed
	Critical operation lacks event log	Passed
	Human/contract checks bypass	Passed
	Random number generation/use vulnerability	N/A
	Fallback function misuse	Passed
	Race condition	Passed
	Logical vulnerability	Passed
	Features claimed	Passed
	Other programming issues	Passed
Code Specification	Function visibility not explicitly declared	Passed
	Var. storage location not explicitly declared	Passed
	Use keywords/functions to be deprecated	Passed
	Unused code	Passed
Gas Optimization	"Out of Gas" Issue	Passed
	High consumption 'for/while' loop	Passed
	High consumption 'storage' storage	Passed
	Assert() misuse	Passed
Business Risk	The maximum limit for mintage not set	Passed
	"Short Address" Attack	Passed
	"Double Spend" Attack	Passed

Overall Audit Result: **PASSED**

Code Quality

This audit scope has 1 smart contract file. Smart contract contains Libraries, Smart contracts, inherits and Interfaces. This is a compact and well written smart contract.

The libraries in Airdrop Claim are part of its logical algorithm. A library is a different type of smart contract that contains reusable code. Once deployed on the blockchain (only once), it is assigned a specific address and its properties / methods can be reused many times by other contracts in the Airdrop Claim.

The Airdrop Claim team has **not** provided scenario and unit test scripts, which would have helped to determine the integrity of the code in an automated way.

Code parts are **not well** commented on smart contracts.

Documentation

We were given an Airdrop Claim smart contract code in the form of a Polygon Scan Web Link. The hash of that code is mentioned above in the table.

As mentioned above, code parts are **not well** commented. So it is not easy to quickly understand the programming flow as well as complex code logic. Comments are very helpful in understanding the overall architecture of the protocol.

Use of Dependencies

As per our observation, the libraries are used in this smart contract infrastructure that are based on well known industry standard open source projects.

Apart from libraries, its functions are used in external smart contract calls.

AS-IS overview

Functions

Sl.	Functions	Type	Observation	Conclusion
1	constructor	write	Passed	No Issue
2	supportsInterface	read	Passed	No Issue
3	hasRole	read	Passed	No Issue
4	checkRole	internal	Passed	No Issue
5	getRoleAdmin	read	Passed	No Issue
6	grantRole	write	access only Role	No Issue
7	revokeRole	write	access only Role	No Issue
8	renounceRole	write	Passed	No Issue
9	setupRole	internal	Passed	No Issue
10	_setRoleAdmin	internal	Passed	No Issue
11	_grantRole	internal	Passed	No Issue
12	_revokeRole	internal	Passed	No Issue
13	pause	external	access only Role	No Issue
14	unpause	external	access only Role	No Issue
15	_list	write	Function input parameters lack of check	Refer Audit Findings
16	delist	write	Passed	No Issue
17	listOne	external	access only Role	No Issue
18	listBulk	external	access only Role	No Issue
19	delistOne	external	access only Role	No Issue
20	delistBulk	external	access only Role	No Issue
21	claim	external	Passed	No Issue
22	recoverERC20	external	Function input parameters lack of check	Refer Audit Findings

Severity Definitions

Risk Level	Description
Critical	Critical vulnerabilities are usually straightforward to exploit and can lead to token loss etc.
High	High-level vulnerabilities are difficult to exploit; however, they also have significant impact on smart contract execution, e.g. public access to crucial
Medium	Medium-level vulnerabilities are important to fix; however, they can't lead to tokens lose
Low	Low-level vulnerabilities are mostly related to outdated, unused etc. code snippets, that can't have significant impact on execution
Lowest / Code Style / Best Practice	Lowest-level vulnerabilities, code style violations and info statements can't affect smart contract execution and can be ignored.

Audit Findings

Critical Severity

No Critical severity vulnerabilities were found.

High Severity

No High severity vulnerabilities were found.

Medium

No Medium severity vulnerabilities were found.

Low

(1) Function input parameters lack of check:

Variable validation is not performed in below functions:

- `recoverERC20 = _receiver`
- `_list = _account`

Resolution: We advise to put validation: int type variables should not be empty and > 0 & address type variables should not be `address(0)`.

Very Low / Informational / Best practices:

(1) SPDX license identifier Missing:

SPDX license identifier not provided in source file.

Resolution: Add SPDX license identifier.

Conclusion

We were given a contract code. And we have used all possible tests based on given objects as files. We have not observed any major issues. So, **it's good to go to production.**

Since possible test cases can be unlimited for such smart contracts protocol, we provide no such guarantee of future outcomes. We have used all the latest static tools and manual observations to cover maximum possible test cases to scan everything.

Smart contracts within the scope were manually reviewed and analyzed with static analysis tools. Smart Contract's high-level description of functionality was presented in the As-is overview section of the report.

Audit report contains all found security vulnerabilities and other issues in the reviewed code.

Security state of the reviewed contract, based on standard audit procedure scope, is **"Secured"**.

Our Methodology

We like to work with a transparent process and make our reviews a collaborative effort. The goals of our security audits are to improve the quality of systems we review and aim for sufficient remediation to help protect users. The following is the methodology we use in our security audit process.

Manual Code Review:

In manually reviewing all of the code, we look for any potential issues with code logic, error handling, protocol and header parsing, cryptographic errors, and random number generators. We also watch for areas where more defensive programming could reduce the risk of future mistakes and speed up future audits. Although our primary focus is on the in-scope code, we examine dependency code and behavior when it is relevant to a particular line of investigation.

Vulnerability Analysis:

Our audit techniques included manual code analysis, user interface interaction, and whitebox penetration testing. We look at the project's web site to get a high level understanding of what functionality the software under review provides. We then meet with the developers to gain an appreciation of their vision of the software. We install and use the relevant software, exploring the user interactions and roles. While we do this, we brainstorm threat models and attack surfaces. We read design documentation, review other audit results, search for similar projects, examine source code dependencies, skim open issue tickets, and generally investigate details other than the implementation.

Documenting Results:

We follow a conservative, transparent process for analyzing potential security vulnerabilities and seeing them through successful remediation. Whenever a potential issue is discovered, we immediately create an Issue entry for it in this document, even though we have not yet verified the feasibility and impact of the issue. This process is conservative because we document our suspicions early even if they are later shown to not represent exploitable vulnerabilities. We generally follow a process of first documenting the suspicion with unresolved questions, then confirming the issue through code analysis, live experimentation, or automated tests. Code analysis is the most tentative, and we strive to provide test code, log captures, or screenshots demonstrating our confirmation. After this we analyze the feasibility of an attack in a live system.

Suggested Solutions:

We search for immediate mitigations that live deployments can take, and finally we suggest the requirements for remediation engineering for future releases. The mitigation and remediation recommendations should be scrutinized by the developers and deployment engineers, and successful mitigation and remediation is an ongoing collaborative process after we deliver our report, and before the details are made public.

Disclaimers

EtherAuthority.io Disclaimer

EtherAuthority team has analyzed this smart contract in accordance with the best industry practices at the date of this report, in relation to: cybersecurity vulnerabilities and issues in smart contract source code, the details of which are disclosed in this report, (Source Code); the Source Code compilation, deployment and functionality (performing the intended functions).


Due to the fact that the total number of test cases are unlimited, the audit makes no statements or warranties on security of the code. It also cannot be considered as a sufficient assessment regarding the utility and safety of the code, bugfree status or any other statements of the contract. While we have done our best in conducting the analysis and producing this report, it is important to note that you should not rely on this report only. We also suggest conducting a bug bounty program to confirm the high level of security of this smart contract.

Technical Disclaimer

Smart contracts are deployed and executed on the blockchain platform. The platform, its programming language, and other software related to the smart contract can have their own vulnerabilities that can lead to hacks. Thus, the audit can't guarantee explicit security of the audited smart contracts.

Appendix

Code Flow Diagram - Airdrop Claim



Slither Results Log

Slither log >> Claim.sol

```
INFO:Detectors:
Claim.constructor(address)._erc20Token (Claim.sol#441) lacks a zero-check on :
  - erc20Token = _erc20Token (Claim.sol#442)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#missing-zero-address-validation
INFO:Detectors:
Reentrancy in Claim.claim() (Claim.sol#487-504):
  External calls:
  - IERC20(erc20Token).transfer(msg.sender,_data.amount) (Claim.sol#496)
  Event emitted after the call(s):
  - Claimed(msg.sender,_data.amount) (Claim.sol#500-503)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#reentrancy-vulnerabilities-3
INFO:Detectors:
Claim.claim() (Claim.sol#487-504) uses timestamp for comparisons
  Dangerous comparisons:
  - require(bool,string)(_data.endTime >= block.timestamp,Too late) (Claim.sol#494)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#block-timestamp
INFO:Detectors:
Claim.claim() (Claim.sol#487-504) compares to a boolean constant:
  -require(bool,string)(_data.claimed == false,Already claimed) (Claim.sol#492)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#boolean-equality
INFO:Detectors:
AccessControl._setRoleAdmin(bytes32,bytes32) (Claim.sol#391-395) is never used and should be removed
Context._msgData() (Claim.sol#161-163) is never used and should be removed
Strings.toHexString(uint256) (Claim.sol#127-138) is never used and should be removed
Strings.toString(uint256) (Claim.sol#102-122) is never used and should be removed
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#dead-code
INFO:Detectors:
Pragma version^0.8.0 (Claim.sol#2) necessitates a version too recent to be trusted. Consider deploying with 0.6.12/0.7.6
solc-0.8.0 is not recommended for deployment
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#incorrect-versions-of-solidity
INFO:Detectors:
Parameter Claim.listOne(address,uint256,uint256)._account (Claim.sol#466) is not in mixedCase
Parameter Claim.listOne(address,uint256,uint256)._amount (Claim.sol#466) is not in mixedCase
Parameter Claim.listOne(address,uint256,uint256)._endTime (Claim.sol#466) is not in mixedCase
Parameter Claim.listBulk(address[],uint256[],uint256[])._accounts (Claim.sol#470) is not in mixedCase
Parameter Claim.listBulk(address[],uint256[],uint256[])._amount (Claim.sol#470) is not in mixedCase
Parameter Claim.listBulk(address[],uint256[],uint256[])._endTime (Claim.sol#470) is not in mixedCase

Parameter Claim.delistOne(address)._account (Claim.sol#477) is not in mixedCase
Parameter Claim.delistBulk(address[])._accounts (Claim.sol#481) is not in mixedCase
Parameter Claim.recoverERC20(address,address,uint256)._receiver (Claim.sol#506) is not in mixedCase
Parameter Claim.recoverERC20(address,address,uint256)._tokenAddress (Claim.sol#506) is not in mixedCase
Parameter Claim.recoverERC20(address,address,uint256)._tokenAmount (Claim.sol#506) is not in mixedCase
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#conformance-to-solidity-naming-conventions
INFO:Detectors:
Claim.slitherConstructorConstantVariables() (Claim.sol#422-510) uses literals with too many digits:
  - MANAGER_ROLE = 0x00000000000000000000000000000000000000000000000000000000000000000000000000000001 (Claim.sol#435)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#too-many-digits
INFO:Detectors:
grantRole(bytes32,address) should be declared external:
  - AccessControl.grantRole(bytes32,address) (Claim.sol#327-329)
revokeRole(bytes32,address) should be declared external:
  - AccessControl.revokeRole(bytes32,address) (Claim.sol#340-342)
renounceRole(bytes32,address) should be declared external:
  - AccessControl.renounceRole(bytes32,address) (Claim.sol#358-362)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#public-function-that-could-be-declared-external
INFO:Slither:Claim.sol analyzed (8 contracts with 75 detectors), 28 result(s) found
INFO:Slither:Use https://crytic.io/ to get access to additional detectors and Github integration
root@server:~/chetan/gaza/mycontracts#
```

This is a private and confidential document. No part of this document should be disclosed to third party without prior written permission of EtherAuthority.

Email: audit@EtherAuthority.io

Solidity Static Analysis

Claim.sol

Security

Check-effects-interaction:

Potential violation of Checks-Effects-Interaction pattern in Claim.claim(): Could potentially lead to re-entrancy vulnerability. Note: Modifiers are currently not considered by this static analysis.

[more](#)

Pos: 487:4:

Block timestamp:

Use of "block.timestamp": "block.timestamp" can be influenced by miners to a certain degree. That means that a miner can "choose" the block.timestamp, to a certain degree, to change the outcome of a transaction in the mined block.

[more](#)

Pos: 494:33:

Gas & Economy

Gas costs:

Gas requirement of function Claim.getRoleAdmin is infinite: If the gas requirement of a function is higher than the block gas limit, it cannot be executed. Please avoid loops in your functions or actions that modify large areas of storage (this includes clearing or copying arrays in storage)

Pos: 313:4:

Gas costs:

Gas requirement of function Claim.delistOne is infinite: If the gas requirement of a function is higher than the block gas limit, it cannot be executed. Please avoid loops in your functions or actions that modify large areas of storage (this includes clearing or copying arrays in storage)

Pos: 477:4:

For loop over dynamic array:

Loops that do not have a fixed number of iterations, for example, loops that depend on storage values, have to be used carefully. Due to the block gas limit, transactions can only consume a certain amount of gas. The number of iterations in a loop can grow beyond the block gas limit which can cause the complete contract to be stalled at a certain point. Additionally, using unbounded loops incurs in a lot of avoidable gas costs. Carefully test how many items at maximum you can pass to such functions to make it successful.

[more](#)

Pos: 482:8:

Miscellaneous

Constant/View/Pure functions:

`IERC20.transfer(address,uint256)` : Potentially should be constant/view/pure but is not. Note: Modifiers are currently not considered by this static analysis.

[more](#)

Pos: 21:4:

Similar variable names:

`Claim.listOne(address,uint256,uint256)` : Variables have very similar names "`_account`" and "`_amount`". Note: Modifiers are currently not considered by this static analysis.

Pos: 467:24:

Guard conditions:

Use "`assert(x)`" if you never ever want `x` to be false, not in any circumstance (apart from a bug in your code). Use "`require(x)`" if `x` can be false, due to e.g. invalid input or a failing external component.

[more](#)

Pos: 494:8:

Delete from dynamic array:

Using "`delete`" on an array leaves a gap. The length of the array remains the same. If you want to remove the empty position you need to shift items manually and update the "`length`" property.

[more](#)

Pos: 462:8:

Solhint Linter

Claim.sol

```
Claim.sol:2:1: Error: Compiler version ^0.8.0 does not satisfy the rsemver requirement
Claim.sol:441:5: Error: Explicitly mark visibility in function (Set ignoreConstructors to true if using solidity >=0.7.0)
Claim.sol:494:34: Error: Avoid to make time-based decisions in your business logic
Claim.sol:498:9: Error: Possible reentrancy vulnerabilities. Avoid state changes after transfer.
```

Software analysis result:

These software reported many false positive results and some are informational issues. So, those issues can be safely ignored.



This is a private and confidential document. No part of this document should be disclosed to third party without prior written permission of EtherAuthority.

Email: audit@EtherAuthority.io